

J. Mater. Chem. Request permissions An insight into electrochemical performance of Lithium-ion battery anodes via an O/N bifunctional group strategy in Janus MoB an author contributing to ...

No, you should not directly use a 5V charger with a 3.7V battery--it risks overheating, damage, or even failure. Lithium-ion batteries, like common 3.7V cells, require precise voltage regulation. ...

Lithium metal batteries (LMBs) offer high theoretical capacity and low redox potential, making them attractive for next-generation energy storage. However, their practical application is ...

Yes, certain CTEK chargers are compatible with lithium batteries--but not all models. As lithium batteries dominate the market for their lightweight efficiency and longevity, many assume any charger will work. However, using the wrong ...

Binder-free flexible electrodes with SilicaNQ@C active particles dispersed within a conductive network of carbon nanotubes exhibit great potential in lithium-ion batteries, offering exceptional ...

Direct regeneration has emerged as a pioneering paradigm in green recycling of lithium-ion battery (LIBs) cathode materials, leveraging the inherent atomic and structural advantages of ...

The majority of consumer gadgets and transportation systems rely on lithium-ion batteries (LIBs). Over the last 30 years, LIB energy density has risen significantly to meet the needs of new ...

This innovative technique combination provides new insights into the chemical composition of three morphologies found on the anode surface in a long-term cycled lithium-ion battery, ...

Using hydrometallurgical lithium-ion battery recycling as our case study, we examine the effects of different scenarios (unified and current) and spatiotemporal variations on ex-ante and ex-post ...

The industrial recycling of spent lithium-ion batteries generates complex multi-contaminant streams containing oily pollutants, heavy metals, and recoverable lithium resources. Here, we ...

Data-driven analysis on thermal effects and temperature changes of lithium-ion battery Data driven analysis of lithium-ion battery internal resistance towards reliable state of health pre...

Sodium superionic conductor (NASICON)-structured type $\text{NaTi}_2(\text{PO}_4)_3$ and $\text{LiTi}_2(\text{PO}_4)_3$ battery materials are investigated and compared for their Na-ion and Li-ion transport properties. ...

Lithium manganese iron phosphate ($\text{LiMn}_{1-x}\text{Fe}_x\text{PO}_4$, LMFP) is a promising cathode material for lithium-ion batteries, exhibiting high theoretical energy density, excellent low-temperature ...

From Electronic Structure to Ion Transport: Photoelectron Spectroscopy and Molecular Dynamics Simulations Reveal the Role of Anions in Lithium Battery Electrolytes. Article Views are the ...

Abstract In this work, rubidium and cesium ions are studied as electrolyte additives for lithium-, sodium- or potassium-ion batteries. Therefore, it has been evaluated the promising alternative ...

Cathode materials for lithium-ion batteries typically possess octahedral coordination, which may exclude other possible solutions to degradation during deep cycling. A series of tetrahedral ...

The design of electrode parameters is a crucial determinant of the rate and quantity of lithium storage, which directly impacts the energy density and overall performance of lithium-ion ...

?? Improving Fast-Charging Performance of Lithium-Ion Batteries through Electrode-Electrolyte Interfacial Engineering ???-???????????????????? ???? ??? ? ...

The key advantage is the abundance and low cost of potassium in comparison with lithium, which makes potassium batteries a promising candidate for large scale batteries such as household ...

Conventional polymer-based binders have been extensively utilized in lithium-ion batteries (LIBs); however, their high cost and disposal challenges have raised environmental and economic ...

The flammability and instability of conventional liquid electrolytes pose severe risks such as thermal runaway and lithium dendrite growth, compromising the performance and safety of ...

Transition metal phosphides (TMPs) are ideal anodes for lithium-ion batteries (LIBs) due to their high theoretical specific capacity and suitable lithiation potential. However, transition metal ...

The state of health (SOH) of lithium-ion battery is mathematically correlated with the band gap and adsorption energy, which theoretically enables prediction of battery health and early ...

Controlling the rapid, uniform deposition and efficient, stable stripping of Li is crucial for achieving durable high-energy-density Li-metal batteries. Herein, unique biomimetic sandwich-structured ...

Here, we present a scalable, excess-lithium-free synthesis of LLZO:Ga that achieves ultrafast Li-ion conductivity of $1.64 (3) \times 10^{-3} \text{ S/cm}$ at $25 \text{ }^\circ\text{C}$, surpassing many Li-rich counterparts. ...

Lithium-ion batteries (LIB) are used in electronic devices and electric vehicles. However, inorganic materials currently such as LiFePO_4 show shortcomings in high-rate capabilities. Organic ...

